

NOTES:

1.0 PLATING HOLES: ϕ OF 6TH FINGER TYP. BOTH ENDS.
 ϕ OF PART \pm 1 FINGER
 ϕ 1.58 \pm .0508 [ϕ .062 \pm .002]

2.0 WHEN SUPPLIED IN 25 FOOT COILS,
 LENGTH CUT FROM PRESS TO
 BE 25'-2 1/2" \pm 2".

0097-0550

REMOVED C.T.L
 FROM OPS.
 ECN 7153
 MN 08/11/92



03

REV OP 3 WAS BULK
 ECN 7843
 MN 02/24/93
 EWS 02/24/93

04


ECO-E3434
 REMOVE REF NOTE
 FROM .230 DIM
 DRAWN IN PRO-E
 SDH 12/19/02
 EWS 12/23/02

05



FLAT PATTERN

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO LAIRD TECHNOLOGIES. IT MAY NOT BE DISCLOSED TO ANYONE, OTHER THAN LAIRD TECHNOLOGIES PERSONNEL, WITHOUT WRITTEN AUTHORIZATION FROM LAIRD TECHNOLOGIES.

MATERIAL: ,076 [.003] \pm .005[.0002] BECU ALLOY 25 1/2 HARD	TOLERANCES NOT SHOWN		 DELAWARE WATER GAP PENNSYLVANIA	DRAWN BY: JR	DATE: 11/15/88
	DECIMAL 2 PL'S \pm	DECIMAL 3 PL'S \pm .127[.005]		CHECKED: BJ	DATE: 11/15/88
HEAT TREAT: TO DPH 383 MIN USING A 500 GRAM LOAD	ANGULAR \pm	THIRD ANGLE PROJECTION	APPROVED: BJ	DATE: 11/15/88	2 MM [.079] FLAT SERIES
THICKNESS AFTER: CLEANING AND BEFORE PLATING: .066[.0026] MIN	UNITS: MM [INCH]	SCALE: 4:1	REF. DWG. NO.		
FINISH: AS REQUIRED	CAD MAINTAINED DRAWING. MANUAL CHANGES UNAUTHORIZED. ©		DWG. NO. 0097-0550	REV 05	SHEET 1 OF 1